



TITLE:

Laboratory of Microbial Biochemistry (Special Issue on the Commemoration of the Fiftieth Anniversary)

AUTHOR(S):

CITATION:

Laboratory of Microbial Biochemistry (Special Issue on the Commemoration of the Fiftieth Anniversary). Bulletin of the Institute for Chemical Research, Kyoto University 1977, 54(6): 453-460

ISSUE DATE:

1977-03-25

URL:

<http://hdl.handle.net/2433/76690>

RIGHT:

LABORATORY OF MICROBIAL BIOCHEMISTRY

Head: Dr. Tatsuo Yamamoto

This laboratory was established by Prof. H. Katagiri in 1942 to study the chemical aspects of general and applied microbiology, and was succeeded by Prof. T. Yamamoto in 1960. Dr. K. Soda, Dr. Y. Kariya, Dr. T. Osumi, and Dr. H. Misono have worked as an associate professor and a research associate, respectively. Microbial metabolism of amino acids and nitro compounds, structure, function, and regulation of pyridoxal phosphate enzymes, antitumor enzymes, and utilization of fermentation energy of yeast for biosynthetic processes have been investigated here during the last decade.

I. Studies on Amino Acid Racemases^{5,54)}

1) Amino Acid Racemase with Low Substrate Specificity^{1,14,15,18,26)}

A new amino acid racemase catalyzing racemization of either D- or L-isomer of α -aminobutyrate and leucine was found in a cell-free extract of *Pseudomonas striata*, which was isolated from soil and identified. This racemase was purified to homogeneity and crystallized to elucidate physicochemical and enzymological properties. The enzyme catalyzes the racemization of various amino acids including lysine, ornithine and ethionine, and contains 2 moles of pyridoxal phosphate.

2) Arginine Racemase^{3,4,16,25,31,38)}

Arginine racemase was discovered in the extract of *Pseudomonas graveolens*, purified to homogeneity, and crystallized. The enzyme contains 4 moles of pyridoxal phosphate per mole of enzyme ($M_w=167,000$) and catalyzes not only the racemization of a variety of amino acids, *e.g.*, lysine, arginine, ornithine and citrulline, but also the transamination of ornithine with pyruvate. The regulation of arginine racemase by transamination between the enzyme-bound pyridoxal phosphate (or pyridoxamine phosphate) and an amino acid such as ornithine (or an α -keto acid, *e.g.*, pyruvate) was demonstrated.

3) Alanine Racemase⁷⁰⁾

Alanine racemase of *Bacillus subtilis* var. *aterrimus* was purified approximately 1,000-fold. The enzyme is exclusively specific for alanine. It was shown that the enzyme requires pyridoxal phosphate as a cofactor and flavin compound have no effect on the enzyme activity.

II. Studies on Metabolism of Lysine and Its Analogues⁴⁵⁾

1) L-Lysine- α -ketoglutarate ϵ -Aminotransferase^{7-10,17,27,36)}

L-Lysine- α -ketoglutarate ϵ -aminotransferase was purified to homogeneity and

crystallized from *Achromobacter liquidum*. The enzyme catalyzes transfer of the terminal amino groups of L-lysine, L-ornithine and S-(β -aminoethyl)-L-cysteine to α -ketoglutarate to yield Δ^1 -piperidine-6-carboxylate, Δ^1 -pyrroline-5-carboxylate, and 4-thia- Δ^1 -piperidine-6-carboxylate, respectively. The enzyme contains two moles of pyridoxal phosphate per mole of enzyme (Mw=116,000). One of them with λ_{\max} at 420 nm plays an essential role in the catalytic reaction. The other pyridoxal phosphate (λ_{\max} : 340 nm) is bound in a catalytically inactive form.

2) **L-Lysine Decarboxylase**^{11,28,53)}

Crystalline L-lysine decarboxylase (Mw=1,000,000) was obtained from *Bacterium cadaveris* grown in the media containing L-lysine as an inducer. δ -Hydroxylysine and S-(β -aminoethyl)-L-cysteine are decarboxylated by the enzyme.

3) **Bacterial Metabolism of Lysine Analogues**^{13,20,22,62,65,68,73,78,84)}

Aerobacter aerogenes was found capable of growing well in the medium containing S-(β -aminoethyl)-L-cysteine, a metabolic antagonist of L-lysine, as a nitrogen source. The main metabolic products from S-(β -aminoethyl)-L-cysteine was isolated and identified as S-(β -N-acetylaminoethyl)-L-cysteine and S-(β -N-acetylamino)- α -keto-mercaptopropionate. Terminal amino group of S-(β -aminoethyl)-L-cysteine is acetylated by N-acetyltransferase to yield S-(β -N-acetylaminoethyl)-L-cysteine, and then the acetylated compound is readily deaminated by L-amino acid oxidase to form S-(β -N-acetylaminoethyl)- α -keto-mercaptopropionate. The enzyme catalyzing the first step, S-(β -aminoethyl)-L-cysteine ω -N-acetyltransferase was purified to homogeneity from *A. aerogenes*. In addition to S-(β -aminoethyl)-L-cysteine, its D-enantiomer, sulfoxide, sulfone and a higher homologue, an oxygen analogue of lysine, and L- or D-lysine also accept an acetyl group. Acetyl-Co A is the exclusive acyl donor.

III. Studies on Pyridoxal Phosphate Enzymes¹²⁾

1) **Kynureninase**^{29,33,35,49,50,58,59)}

Inducible kynureninase was purified to homogeneity and crystallized from *Pseudomonas marginalis*. One mole of pyridoxal phosphate is bound per mole of enzyme (Mw=100,000). The enzyme can act also as an α -aminotransferase of high substrate specificity to regulate the enzyme activity by interconversion of the coenzyme moiety.

2) **Methioninase**⁸⁹⁾

L-Methioninase, which catalyzes the conversion of L-methionine to α -ketobutyrate, methanethiol and ammonia, was purified to homogeneity from *Pseudomonas ovalis*. The enzyme (Mw=180,000) catalyzes both α,γ - and α,β -elimination reactions of several derivatives of L-methionine and L-cysteine.

3) **D-Amino Acid Aminotransferase**^{61,69,72,76)}

D-Amino acid aminotransferase, purified to homogeneity and crystallized from *Bacillus sphaericus*, has a molecular weight of about 60,000 and consists of two identical subunits. The enzyme contains 2 moles of pyridoxal phosphate per mole of enzyme and catalyzes transamination of various D-amino acids with α -keto acids. One mole of

pyridoxal phosphate is bound to the inactive form of enzyme, semiapoenzyme.

4) **Taurine- α -ketoglutarate Aminotransferase**^{34,38,39,42,43,60)}

Taurine- α -ketoglutarate aminotransferase was discovered in the cell-free extracts of *Achromobacter superficialis* and *A. polymorph*. The crystalline enzyme (Mw=156,000) was obtained from *A. superficialis*. Four moles of pyridoxal phosphate are bound per mole of enzyme. The enzyme inactivated by treatment with ammonium sulfate is activated by incubation with pyridoxal phosphate at 45-60°.

5) **Taurine-Pyruvate Aminotransferase**^{51,52)}

A new aminotransferase which catalyzes transamination between taurine and pyruvate was found in the cell-free extract of *Pseudomonas* sp. isolated from soil.

6) **Aspartate Aminotransferase**^{77,83)}

Aspartate aminotransferase (Mw=80,000) was purified to homogeneity and crystallized from *Pseudomonas striata*. Its enzymological properties are compared to those of mammalian enzymes.

7) **Kynurenine Aminotransferase**⁷⁴⁾

Kynurenine aminotransferase occurs in several strains of yeasts. The enzyme was partially purified from *Hansenula schneegii* and some of its properties were investigated.

IV. Studies on Biostereochemistry of Histidine Metabolism⁵⁷⁾

The stereochemistry of deamination of histidine which is catalyzed by histidase of *Pseudomonas striata* was assigned to be a stereospecific *trans*-elimination including pro-R proton liberation from the C-3 position of L-histidine.

V. Studies on Antineoplastic Enzymes^{23,30,37,40,41,44,47,48,87,92)}

L-Leucine dehydrogenase, which was purified to homogeneity and crystallized from *Bacillus sphaericus*, was shown to be highly inhibitory to Ehrlich ascites carcinoma *in vivo*. Tumor-bearing mice treated with leucine dehydrogenase showed a progressive increase in life span with increasing dose of the enzyme. An isozyme of glutaminase from *Pseudomonas aeruginosa*, glutaminase A, also resulted in a significant prolongation of survival times, while glutaminase B did not significantly change life span.

VI. Studies on Biochemistry of Alkyl Nitro Compounds^{80,82,86)}

Various strains of bacteria, yeast and fungi were capable of growing in a medium containing nitroethane as a nitrogen source. Nitroalkanes are oxidatively denitrified to form nitrite by cells and extracts of organisms grown in the medium. A nitroalkane-oxidizing enzyme was purified to homogeneity from *Hansenula mrakii* which was most active in assimilating nitroethane. The enzyme is a non-heme iron flavo-protein which catalyzes the reaction of molecular oxygen and 2-nitropropane yielding

nitrite and acetone, into which molecular oxygen was incorporated. In addition to 2-nitropropane, nitroethane, 3-nitro-2-pentanol, and 1-nitropropane are oxidatively denitrified by the enzyme, 2-nitropropane dioxygenase.

VII. Studies on Utilization of Fermentation Energy of Yeast for Biosynthetic Processes^{55,56,63,67,68,71,79,81,88,90,91,93})

This study is concerned with the utilization of fermentation energy of yeast for the phosphorylation of biologically important organic compounds. The principle of energy generation is based on the Harden-Young effect of fermentation of glucose which is preceded by the addition of high concentration of inorganic phosphate ions to the reaction mixture. Air-dried cells of baker's yeast and other yeasts were employed as energy generating system, which was coupled with the energy-requiring system of the yeast or with enzymatic phosphorylating systems of the other organisms.

Various nucleoside triphosphates and glucosamine 6-phosphate were formed from nucleotide monophosphates and glucosamine under the fermentative processes of baker's yeast. CDP-choline and CDP-aminoethanols were produced from CMP and choline and/or aminoethanols under the condition of yeast fermentation. 6-Phosphogluconate and galactose 1-phosphate were produced by coupling of baker's yeast and kinase systems. Respiration deficient mutants of yeast were employed to investigate the efficiency of energy generating system of yeast to produce CDP-choline and sugar nucleotides.

VIII. Studies on the Analytical Biochemistry^{2,6,19,21,46,64,75})

New methods of spectrophotometric determination of keto acids, pyridoxal, pyridoxal phosphate, D-amino acids, and D-amino acid oxidase and ω -aminotransferase activity were established.

Publications

(* indicates an article Published in Japanese)

1. K. Soda and T. Osumi: Enzymatic Racemization of Leucine and α -Aminobutyrate, *Agr. Biol. Chem.*, **31**, 1097 (1967).
2. K. Soda: A Spectrophotometric Microdetermination of Keto Acids with 3-Methyl-2-benzothiazolone Hydrazone, *ibid.*, **31**, 1054 (1967).
3. K. Soda, T. Yorifuji, and K. Ogata: Occurrence of Arginine Racemase in Bacterial Extract, *Biochem. Biophys. Acta*, **146**, 606 (1967).
4. K. Soda, T. Yorifuji, and K. Ogata: Bacterial Arginine Racemase, *Amino Acid and Nucleic Acid*, **17**, 43 (1968).*
5. K. Soda: Amino Acid racemase, *Kagaku to Seibutsu*, **6**, 531 (1968).*
6. K. Soda: Microdetermination of D-Amino Acids and D-Amino Acid Oxidase Activity with 3-Methyl-2-benzothiazolone Hydrazone Hydrochloride, *Analytical Biochemistry*, **25**, 228 (1968).
7. K. Soda, H. Misono, and T. Yamamoto: The Product from L-Lysine and the Reaction Pathway in L-Lysine- α -ketoglutarate Transaminase System, *Amino Acid and Nucleic Acid*, **18**, 77 (1968).*
8. K. Soda and H. Misono: Purification of L-Lysine- α -ketoglutarate Transaminase and Its Properties, *ibid.*, **18**, 83 (1968).*
9. K. Soda, H. Misono, and T. Yamamoto: L-Lysine- α -ketoglutarate Aminotransferase. 1. Identification of a Product, Δ^1 -Peperideine-6-carboxylic Acid, *Biochemistry*, **7**, 4102 (1968).

10. K. Soda and H. Misono: L-Lysine- α -ketoglutarate Aminotransferase. 2. Purification, Crystallization and Properties, *ibid.*, **7**, 4110 (1968).
11. K. Soda and M. Moriguchi: Crystalline Lysine Decarboxylase, *Biochem. Biophys. Res. Commun.*, **34**, 34 (1969).
12. K. Soda: Pyridoxal Phosphate Enzymes, *Kagaku to Seibutsu*, **7**, 28 (1969).*
13. K. Soda, H. Tanaka, and T. Yamamoto: Bacterial N-Acetylation of an L-Lysine Antagonist, S-(β -Aminoethyl)-L-Cysteine, *Arch. Biochem. Biophys.*, **130**, 610 (1969).
14. K. Soda, T. Osumi, T. Yorifuji, and K. Ogata: Enzymatic Racemization of Leucine and α -Aminobutyrate. Part 2. Distribution of Amino Acid Racemase Activity, Identification of the Organism and New Assay Method of Enzyme, *Agr. Biol. Chem.*, **33**, 424 (1969).
15. T. Osumi, T. Yamamoto, and K. Soda: Enzymatic Racemization of Leucine and α -Aminobutyrate. Part 3. Properties of Partially Purified Racemase, *ibid.*, **33**, 430 (1969).
16. T. Yorifuji, K. Ogata, and K. Soda: Crystalline Arginine Racemase, *Biochem. Biophys. Res. Commun.*, **34**, 760 (1969).
17. K. Soda, H. Misono and T. Yamamoto: Transamination of S-(β -aminoethyl)-L-cysteine by L-Lysine- α -ketoglutarate Aminotransferase, *Biochim. Biophys. Acta*, **177**, 364 (1969).
18. K. Soda and T. Osumi: Crystalline Amino Acid Racemase with Low Substrate Specificity, *Biochem. Biophys. Res. Commun.*, **35**, 363 (1969).
19. K. Soda, T. Yorifuji, H. Misono, and M. Moriguchi: Spectrophotometric Determination of Pyridoxal and Pyridoxal 5'-Phosphate with 3-Methyl-2-benzothiazolone Hydrazone Hydrochloride, and Their Selective Assay, *Biochem. J.*, **114**, 629 (1969).
20. K. Soda, H. Tanaka, and T. Yamamoto: N-Acetylation of an L-Lysine Antagonist, S-(β -aminoethyl)-L-cysteine by *Aerobacter aerogenes*, *Amino Acid and Nucleic Acid*, **21**, 56 (1970).*
21. K. Soda, T. Osumi, T. Yorifuji, H. Misono, and M. Moriguchi: A New Spectrophotometric Method for Determination of D-Amino Acids, Pyridoxal and Pyridoxal Phosphate, *ibid.*, **21**, 89 (1970).*
22. K. Soda, H. Tanaka, and T. Yamamoto: Enzymic N-Acetylation of a Sulfur Analog of L-Lysine, S-(β -aminoethyl)-L-cysteine, *FEBS Letters*, **8**, 301 (1970).
23. H. Sakato and K. Soda: Asparaginase of *Alcaligenes faecalis*, *Bull. Inst. Chem. Res., Kyoto Univ.*, **48**, 283 (1970).
24. S. S. Tate, A. Novogrodsky, K. Soda, E. W. Miles, and A. Meister: L-Aspartate- β -decarboxylase (*Alcaligenes faecalis*), *Methods in Enzymology*, **17-A**, 681 (1970).
25. K. Soda, T. Yorifuji, and K. Ogata: Arginine Racemase (*Pseudomonas graveolens*), *ibid.*, **17-A**, 341 (1970).
26. K. Soda and T. Osumi: Amino Acid Racemase (*Pseudomonas striata*), *ibid.*, **17-B**, 629 (1971).
27. K. Soda and H. Misono: L-Lysine- α -ketoglutarate Aminotransferase (*Achromobacter liquidum*), *ibid.*, **17-B**, 222 (1971).
28. K. Soda and M. Moriguchi: L-Lysine Decarboxylase (*Bacterium cadaveris*), *ibid.*, **17-B**, 677 (1971).
29. M. Moriguchi, T. Yamamoto, and K. Soda: Crystalline Kynureninase from *Pseudomonas marginalis*, *Biochem. Biophys. Res. Commun.*, **44**, 752 (1971).
30. K. Soda, H. Misono, K. Mori, and H. Sakato: Crystalline L-Leucine Dehydrogenase, *ibid.*, **44**, 931 (1971).
31. T. Yorifuji, K. Ogata, and K. Soda: Arginine Racemase of *Pseudomonas graveolens*. Part 1. Purification, Crystallization, and Properties, *J. Biol. Chem.*, **246**, 5085 (1971).
32. T. Yorifuji, H. Misono, and K. Soda: Arginine Racemase of *Pseudomonas graveolens*. Part 2. Racemization and Transamination of Ornithine Catalyzed by Arginine Racemase, *ibid.*, **246**, 5093 (1971).
33. M. Moriguchi, T. Yamamoto, and K. Soda: Inactivation of Kynureninase by L-Alanine, *Biochem. Biophys. Res. Commun.*, **44**, 1416 (1971).
34. S. Toyama and K. Soda: Studies on Taurine- α -ketoglutarate Transaminase Reaction in Bacteria, *Amino Acid and Nucleic Acid*, **24**, 50 (1971).*
35. M. Moriguchi, T. Yamamoto, and K. Soda: Preparation and Some Properties of Crystalline Kynureninase, *ibid.*, **24**, 75 (1971).*
36. H. Misono, T. Yamamoto, and K. Soda: Bacterial L-Lysine- α -ketoglutarate Aminotransferase, *Bull. Inst. Chem. Res., Kyoto Univ.*, **49**, 128 (1971).

37. K. Soda, M. Ohshima, and T. Yamamoto: Purification and Properties of Isozymes of Glutaminase from *Pseudomonas aeruginosa*, *Biochem. Biophys. Res. Commun.*, **46**, 1278 (1972).
38. S. Toyama, H. Misono, and K. Soda: Crystalline Taurine- α -ketoglutarate Aminotransferase from *Achromobacter superficialis*, *ibid.*, **46**, 1374 (1972).
39. S. Toyama and K. Soda: Occurrence of Taurine- α -ketoglutarate Aminotransferase in Bacterial Extract, *J. Bacteriol.*, **109**, 533 (1972).
40. K. Soda, M. Ohshima, and T. Yamamoto: Purification, Crystallization and Characterization of Glutaminases A and B from *Pseudomonas aeruginosa*, *Fourth International Fermentation Symposium, Abstracts*, 60 (1972).
41. K. Soda, M. Ohshima, and T. Yamamoto: Purification, Crystallization and Characterization of Glutaminase A and B from *Pseudomonas aeruginosa*, *Proc. IV IFS: Ferment. Technol. Today*, 339 (1972).
42. S. Toyama, H. Misono, and K. Soda: Taurine- α -ketoglutarate Aminotransferase of *Achromobacter Superficialis*, *Fourth International Fermentation Symposium., Abstracts*, 247 (1972).
43. S. Toyama, H. Misono, and K. Soda: Purification and Crystallization of Taurine- α -ketoglutarate Transaminase from *Achromobacter superficialis*, *Amino Acid and Nucleic Acid*, **25**, 91 (1972).*
44. K. Soda, M. Ohshima, and T. Yamamoto: Studies on Bacterial Glutaminase: Purification and Characterization of Isozymes of Glutaminase from *Pseudomonas aeruginosa*, *ibid.*, **25**, 87 (1972).*
45. K. Soda and H. Misono: Metabolism of L-Lysine, *Protein, Nucleic Acid and Enzyme*, **17**, 42 (1972).*
46. K. Soda, S. Toyama, H. Misono, T. Hirazawa, and K. Asada: Spectrophotometric Determination of Glyoxylic acid with *o*-Aminobenzaldehyde and Glycine, and Its Application to Enzyme Assay, *Agr. Biol. Chem.*, **37**, 1393 (1973).
47. K. Soda, H. Misono, T. Shirako, K. Mori, and M. Sato: Purification and Crystallization of Bacterial Leucine Dehydrogenase, *Amino Acid and Nucleic Acid*, **27**, 84 (1973).*
48. T. Oki, M. Shirai, M. Ohshima, T. Yamamoto, and K. Soda: Antitumor Activity of Bacterial Leucine Dehydrogenase and Glutaminase A, *FEBS Letters*, **33**, 286 (1973).
49. M. Moriguchi, T. Yamamoto, and K. Soda: Kynureninase from *Pseudomonas marginalis*. I. Properties of Crystalline Kynureninase from *Pseudomonas marginalis*, *Biochemistry*, **12**, 2969 (1973).
50. M. Moriguchi and K. Soda: Kynureninase from *Pseudomonas marginalis*. II. Transamination Reaction Catalyzed by Kynureninase and Control of the Enzyme Activity, *Biochemistry*, **12**, 2974 (1973).
51. S. Toyama, K. Miyasato, M. Yasuda, and K. Soda: Occurrence of Taurine-Pyruvate Aminotransferase in Bacterial Extract. *Agr. Biol. Chem.*, **37**, 2939 (1973).
52. S. Toyama, K. Miyasato, T. Toma, and K. Soda: On the Transamination Reaction of Taurine with Pyruvate in the Cell Suspension of a Soil Bacterium, *Sci. Bull. of Coll. Agr., Uni. of Ryukyus*, **20**, 105 (1973).
53. M. Moriguchi, T. Yamamoto, and K. Soda: Studies on L-Lysine Decarboxylase from *Bacterium cadaveris*, *Bull. Inst. Chem. Res., Kyoto Univ.*, **51**, 333 (1973).
54. K. Soda: Amino Acid Racemase, *Seikagaku (J. Jap. Biochem. Soc.)*, **46**, 203 (1974).*
55. T. Tochikura, Y. Kariya, T. Yana, T. Tachiki, and A. Kimura: Studies on Utilization of Fermentation and Respiration Energy to Biosynthetic Processes. Part I. Fermentative Production of Phosphoric Acid Anhydrides and Phosphate Esters, *Amino Acid and Nucleic Acid*, **29**, 59 (1974).*
56. Y. Kariya, K. Aisaka, A. Kimura, and T. Tochikura: Fermentative Production of CDP-Choline-Related Compounds (Part I), *ibid.*, **29**, 75 (1974).*
57. S. Sawada, A. Tanaka, Y. Inoue, T. Hirasawa, and K. Soda: Biochemistry of Histidine Metabolism. Part II. The Steric Cause of Ammonia Elimination from L-Histidine, *Biochem. Biophys. Acta*, **350**, 354 (1974).
58. M. Moriguchi, T. Yamamoto, and K. Soda: Enzymatic Properties of Bacterial Crystalline Kynureninase, *Amino Acid and Nucleic Acid*, **29**, 143 (1974).*
59. M. Moriguchi and K. Soda: Regulatory Mechanism of Kynureninase Activity by the Transamination of the Bound-Coenzyme, *ibid.*, **29**, 150 (1974).*
60. H. Tanaka, S. Toyama, H. Tsukahara, and K. Soda: Transamination of Hypotaurine by Taurine: α -Ketoglutarate Aminotransferase, *FEBS Letters*, **45**, 111 (1974).
61. K. Soda, K. Yonaha, H. Misono, and M. Osugi: Purification and Crystallization of D-Amino Acid Aminotransferase of *Bacillus sphaericus*. *FEBS Letters*, **46**, 359 (1974).
62. H. Tanaka and K. Soda: Enzymatic N-Acetylation of Lysine Analogs. Purification and Properties of

- acetyl coenzyme A : S-(β -aminoethyl)-L-Cysteine ω -N-Acetyltransferase, *J. Biol. Chem.*, **249**, 5285 (1974).
63. T. Tochikura, Y. Kariya, and A. Kimura: CDP-Choline Production from CMP and Choline by Yeasts, *Journal of Fermentation Technology*, **52**, 637 (1974).
 64. S. Toyama, S. Yasuda, K. Miyazato, T. Hirasawa, and K. Soda: A New Assay Method of ω -Amino acid Aminotransferase with *o*-Aminobenzaldehyde. *Agr. Biol. Chem.*, **38**, 2263 (1974).
 65. H. Tanaka and K. Soda: Bacterial Enzyme Catalyzing ω -N-Acetylation of Lysine Analogues. *Amino Acid and Nucleic Acid*, **30**, 88 (1974).*
 66. H. Tanaka and K. Soda: Effect of S-(β -aminoethyl)-L-cysteine on Incorporation of Lysine into Proteine in Bacteria, *Bull. Inst. Chem. Res., Kyoto Univ.*, **52**, 506 (1974).
 67. A. Kimura, Y. Kariya, K. Aisaka, and T. Tochikura: Fermentative Production of CDP-Choline and Related Cytidine Coenzymes by Dried-Cells of Yeasts. *Proc. of 1st Intersect. Congr. of IAMS*. Vol. 5, p. 510 (1974).
 68. Y. Kariya, H. Kimura, and T. Tochikura: Phosphorylation of Choline and CMP in CDP-Choline Production by Yeasts, *Journal of Fermentation Technology*, **53**, 278 (1975).
 69. K. Yonaha, H. Misono, and K. Soda: Resconstitution of D-Amino Acid Aminotransferase, *FEBS Letters*, **55**, 265-268 (1975).
 70. K. Yonaha, T. Yorifuji, T. Yamamoto, and K. Soda: Alanine Racemase of *Bacillus subtilis* var. *aterrimus*, *Journal of Fermentation Technology*, **53**, 579 (1975).
 71. Y. Kariya, K. Aisaka, Y. Kaji, A. Kimura, and T. Tochikura: Fermentative Production of CDP-Choline Analogues by *Hansenula jadinii*, *ibid.*, **53**, 599 (1975).
 72. K. Yonaha, H. Misono, T. Yamamoto, and K. Soda: D-Amino Acid Aminotransferase of *Bacillus sphaericus*: Enzymological and Spectrometrical Properties, *J. Biol. Chem.*, **250**, 6983 (1975).
 73. H. Tanaka and K. Soda: Bacterial Metabolism of Lysine Analogues, *Bull. Inst. Chem. Res., Kyoto Univ.*, **53**, 284 (1975).
 74. K. Yonaha, M. Moriguchi, T. Hirasawa, T. Yamamoto, and K. Soda: Occurrence of Kynurenine Aminotransferase in Extracts of Yeasts, *ibid.*, **53**, 315 (1975).
 75. S. Toyama, M. Yasuda, and K. Soda: An Assay Method of Taurine-Pyruvate Transaminase Activity with 2,4-Dinitrophenylhydrazine, *The Sci. Bull. Coll. Agr., The Univ. of Ryukyus*, **22**, 215 (1975).
 76. K. Yonaha, H. Misono, and K. Soda: Enzymological Properties of Bacterial D-Amino Acid Aminotransferase, *Amino Acid and Nucleic Acid*, **32**, 34 (1975).*
 77. T. Yagi, M. Toyosato, and K. Soda: Crystalline Aspartate Aminotransferase from *Pseudomonas striata*, *FEBS Letters*, **61**, 34 (1976).
 78. H. Tanaka and K. Soda: Enzymatic Conversion of S-(β -N-acetyl-aminoethyl)-L-cysteine into α -Keto Analogue, *Agr. Biol. Chem.*, **40**, 441 (1976).
 79. Y. Kariya, A. Kimura, and T. Tochikura: CDP-Choline Production from CMP and Choline by Yeasts, *Bull. Inst. Chem. Res., Kyoto Univ.*, **53**, 546 (1976).
 80. T. Kido, T. Yamamoto, and K. Soda: Microbial Assimilation of Alkyl Nitro Compounds and Formation of Nitrite. *Arch. Microbial*, **106**, 165 (1975).
 81. A. Kimura, K. Hirose, Y. Kariya, and S. Nagai: Phosphorylation of Mononucleotides and Formation of Cytidine 5-Diphosphate-Choline and Sugar Nucleotides by Respiration-Deficient Mutants of Yeasts, *J. Bacteriol.*, **125**, 744 (1976).
 82. T. Kido, T. Yamamoto, and K. Soda: Micobial Assimilation of Alkyl Nitro Compounds and Formation of Nitrite, *Amino Acid and Nucleic Acid*, **33**, 24 (1976).*
 83. T. Yagi, M. Toyosato, and K. Soda: Purification and Crystallization of Bacterial Aspartate Trans-Aminase, *ibid.*, **33**, 45 (1976).*
 84. T. Tanaka and K. Soda: Effect of Sulfur Analogue of Lysine on Bacterial Protein Biosynthesis, *ibid.*, **33**, 87 (1976).*
 85. H. Tanaka and K. Soda: Bacterial Metabolism of S-(β -Aminoethyl)-L-Cysteine, *ibid.*, **33**, 93 (1976).*
 86. T. Kido, T. Yamamoto, and K. Soda: Purification and Properties of Nitroalkane-Oxidizing Enzyme from *Hansenula mrakii*, *Journal of Bacteriology*, **126**, 1261 (1976).
 87. M. Ohshima, T. Yamamoto, and K. Soda: Effect of Glutamine Analogues on Glutaminase Formation in *Pseudomonas aeruginosa*, *Bull. Inst. Chem. Res., Kyoto Univ.*, **54**, 170 (1976).
 88. Y. Kariya, K. Aisaka, A. Kimura, and T. Tochikura: Biological Activity of *Hansenula jadinii* with

- Regard to Large Scale Fermentative Production of CDP-Choline, *ibid.*, **54**, 183 (1976).
89. H. Tanaka, N. Esaki, T. Yamamoto, and K. Soda: Purification and Properties of Methioninase from *Pseudomonas ovalis*, *FEBS Letters*, **66**, 307 (1976).
 90. A. Kimura, Y. Kariya, K. Aisaka, and T. Tochikura: Fermentative Production of CDP-Choline and Related Cytidine Coenzymes by Dried Cells of Yeasts. *Amino Acid and Nucleic Acid*, **33**, 1 (1976).*
 91. Y. Kariya, K. Aisaka, Y. Kaji, A. Kimura, and T. Tochikura: Fermentative Production of CDP-Choline Analogues by *Hansenula jadinii*, *ibid.*, **33**, 4 (1976).*
 92. K. Soda: Amino Acid Dehydrogenases of Bacilli: Enzymological Properties and Antitumor Activity, *Kagaku to Seibutsu*, **14**, 379 (1976).*
 93. T. Tochikura, Y. Kariya, T. Yano, T. Tachiki, and A. Kimura: Fermentative Production by Means of Coupling by Energy Transfer, *Fifth International Ferment. Symposium (Berlin)*, Abstracts, p. 411 (1976).